

🗙 Close this window

Common Name: SPEEDYFOAM Manufacturer: SPEEDCLEAN SDS Revision Date: 4/9/2015 SDS Format: GHS-US

Item Number(s): 5AEV7, 5AEV8, 5AEV9

Manufacturer Model Number(s):

### **SDS Table of Contents**

Click the desired link below to jump directly to that section in the SDS.

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION SECTION 2 - HAZARDS IDENTIFICATION SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 4 - FIRST AID MEASURES** SECTION 5 - FIRE FIGHTING MEASURES SECTION 6 - ACCIDENTAL RELEASE MEASURES SECTION 7 - HANDLING AND STORAGE SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES SECTION 10 - STABILITY AND REACTIVITY SECTION 11 - TOXICOLOGICAL INFORMATION SECTION 12 - ECOLOGICAL INFORMATION SECTION 13 - DISPOSAL CONSIDERATIONS SECTION 14 - TRANSPORT INFORMATION **SECTION 15 - REGULATORY INFORMATION** SECTION 16 - OTHER INFORMATION

S SPEEDCLEAN (TM)

SAFETY DATA SHEET

SPEEDYFOAM (TM)

HVAC SYSTEM CLEANER

### **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

1.1 PRODUCT IDENTIFIER:

PRODUCT NAME: SPEEDYFOAM(TM)

PRODUCT CODES(S): SPEEDYFOAM RTU

SYNONYMS: AQUEOUS CLEANING SOLUTION

REACH REGISTRATION NUMBER: SOME MATERIALS IN THIS PRODUCT HAVE BEEN REGISTERED ACCORDING TO REGULATION (EC) 1907/2006. THE REMAINING SUBSTANCES IN THIS PRODUCT HAVE BEEN PRE-REGISTERED ACCORDING TO ARTICLE 2 REACH REGULATION (EC) NO 1907/2006.

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

GENERAL USE: FOAMING ALKALINE COIL CLEANER

USES ADVISED AGAINST: NO USES ADVISED AGAINST

1.3 DETAILS OF THE SUPPLIER AND OF THE SAFETY DATA SHEET:

MANUFACTURER: SPEEDCLEAN 404 WEST AVENUE STAMFORD, CT 06902 USA SDS

TOLL FREE: +1-800-700-3540

1.4 EMERGENCY TELEPHONE NUMBER: CHEMTREC (24 HOURS): +1-800-424-9300 INTERNATIONAL: +1-703-527-3887

### **SECTION 2 - HAZARDS IDENTIFICATION**

2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE:

PRODUCT DEFINITION: MIXTURE

CLASSIFICATION (REGULATION (EC) NO 1272/2008): SKIN IRRITANT (CATEGORY 2) [H315] EYE IRRITANT (CATEGORY 2A) [H319]

2.2 LABEL ELEMENTS:

LABELING (REGULATION (EC) NO 1272/2008):

HAZARD SYMBOL(S):

GHS07: EXCLAMATION MARK

SIGNAL WORD: WARNING

HAZARD STATEMENT(S): H315: CAUSES SKIN IRRITATION H319: CAUSES SERIOUS EYE IRRITATION

PRECAUTIONARY STATEMENTS:

[PREVENTION]:

P264: WASH HANDS OR OTHER SKIN AREAS CONTACTING THIS PRODUCT THOROUGHLY AFTER HANDLING.

P280: WEAR PROTECTIVE GLOVES AND EYE PROTECTION.

P261: AVOID BREATHING MIST AND SPRAY.

[RESPONSE]:

P302 + P352: IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P321: SPECIFIC TREATMENT: REFER TO SECTION 4.2 OF THIS SDS AND SEEK MEDICAL ATTENTION.

P332 + P313: IF SKIN IRRITATION OCCURS: GET MEDICAL ATTENTION.

P362: TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

P305 + P351 + P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P337 + P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ATTENTION.

# SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES: NOT APPLICABLE

3.2 MIXTURES:

CHEMICAL CHARACTERIZATION (PREPARATION):

% BY WEIGHT	INGREDIENT	CAS NUMBER
>70	WATER	7732-18-5
5 - 7	TETRAPOTASSIUM PYROPHOSPHATE	7320-34-5
3 - 5	SODIUM METASILICATE	6834-92-0

📥 top

C9-11 ALCOHOLS, ETHOXYLATED <3 68439-46-3 <5 PROPRIETARY SURFACTANT PROPRIETARY <2 CITRIC ACID 77-92-9 <0.1 DYE TNGREDIENT EC NUMBER INDEX NUMBER EC CLASSIFICATION WATER TETRAPOTASSIUM PYROPHOSPHATE 230-785-7 XN, R36/38 014-010-00-8 SODIUM METASILICATE 229-912-9 C, R34; XI, R37 C9-11 ALCOHOLS, ETHOXYLATED 215-181-3 PROPRIETARY SURFACTANT XI, R41 CITRIC ACID 201-069-1

DYE

THERE ARE NO ADDITIONAL INGREDIENTS PRESENT WHICH, WITHIN THE CURRENT KNOWLEDGE OF THE SUPPLIER AND IN THE CONCENTRATIONS APPLICABLE, ARE CLASSIFIED AS HAZARDOUS TO THE HEALTH OR THE ENVIRONMENT AND HENCE REQUIRE REPORTING IN THIS SECTION.

## **SECTION 4 - FIRST AID MEASURES**

4.1 DESCRIPTION OF FIRST AID MEASURES:

INHALATION:

IF PRODUCT MIST CAUSES RESPIRATORY IRRITATION OR DISTRESS, MOVE THE EXPOSED PERSON TO FRESH AIR IMMEDIATELY. IF BREATHING IS DIFFICULT OR IRREGULAR, ADMINISTER OXYGEN; IF RESPIRATORY ARREST OCCURS, START ARTIFICIAL RESPIRATION BY TRAINED PERSONNEL. LOOSEN TIGHT CLOTHING SUCH AS A COLLAR, TIE, BELT OR WAISTBAND. IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION IMMEDIATELY.

EYES:

IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. REMOVE CONTACT LENSES IF PRESENT, AFTER THE FIRST 5 MINUTES AND CONTINUE RINSING, OCCASIONALLY LIFTING UPPER AND LOWER LIDS. OBTAIN IMMEDIATE MEDICAL ATTENTION, PREFERABLY FROM AN OPHTHALMOLOGIST.

SKIN: WASH AFFECTED AREA WITH SOAP AND WATER. WASH CONTAMINATED CLOTHING AND SHOES THOROUGHLY BEFORE REUSE. SEEK PROMPT MEDICAL ATTENTION IF IRRITATION PERSISTS, IF RASH DEVELOPS OR IF YOU FEEL UNWELL.

INGESTION: RINSE MOUTH WITH WATER. REMOVE DENTURES IF PRESENT. IF CONSCIOUS AND ALERT DRINK 2 - 3 CUPFULS OF MILK OR WATER. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL PERSONNEL. DO NOT LEAVE VICTIM UNATTENDED. TO PREVENT ASPIRATION OF SWALLOWED PRODUCT, LAY VICTIM ON ONE SIDE WITH THE HEAD LOWER THAN THE WAIST. VOMITING MAY OCCUR SPONTANEOUSLY. IF VOMITING OCCURS AND THE VICTIM IS CONSCIOUS, GIVE WATER TO FURTHER DILUTE MATERIAL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMEDIATELY.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

POTENTIAL HEALTH SYMPTOMS AND EFFECTS:

EYES: CAUSES MODERATE TO SEVERE EYE IRRITATION. SYMPTOMS INCLUDE REDNESS, STINGING, TEARING AND SWELLING.

SKIN: MAY CAUSE MILD TO MODERATE IRRITATION. REPEATED AND PROLONGED USE MAY RESULT IN DRYING OR CRACKING OF SKIN OR DERMATITIS.

INHALATION: INHALATION OF MIST OR SPRAY MAY CAUSE MILD IRRITATION OF THE RESPIRATORY TRACT.

INGESTION: MAY BE HARMFUL IF SWALLOWED. MAY CAUSE GASTROINTESTINAL IRRITATION WITH 📥 top

NAUSEA, VOMITING, ABDOMINAL CRAMPS AND DIARRHEA.

CHRONIC: NO INFORMATION AVAILABLE.

### **SECTION 5 - FIRE FIGHTING MEASURES**

5.1 EXTINGUISHABLE MEDIA:

SUITABLE METHODS OF EXTINCTION: USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE.

UNSUITABLE METHODS OF EXTINCTION: NONE KNOWN

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: CLOSED CONTAINERS MAY EXPLODE DUE TO THE BUILD-UP OF PRESSURE WHEN EXPOSED TO EXTREME HEAT. DURING EMERGENCY CONDITIONS OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION.

5.3 ADVICE FOR FIREFIGHTERS:

FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT. IF POSSIBLE, FIREFIGHTERS SHOULD CONTROL RUN-OFF WATER TO PREVENT ENVIRONMENTAL CONTAMINATION.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: WEAR APPROPRIATE PROTECTIVE CLOTHING DESIGNATED IN SECTION 8. VENTILATE THE AREA.

6.2 ENVIRONMENTAL PRECAUTIONS: AVOID DISPERSAL OF SPILLED MATERIAL OR RUN-OFF AND PREVENT CONTACT WITH SOIL AND ENTRY INTO DRAINS, SEWERS OR WATERWAYS.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: COVER DRAINS AND CONTAIN SPILL. COVER WITH A LARGE QUANTITY OF INERT ABSORBENT. COLLECT PRODUCT USING A SHOVEL OR BROOM AND INTO PLACE INTO AN APPROVED CONTAINER FOR PROPER DISPOSAL. OBSERVE POSSIBLE MATERIAL RESTRICTIONS (SECTIONS 7.2 AND 10.5). CLEAN CONTAMINATED AREA WITH SOAP AND WATER.

6.4 REFERENCE TO OTHER SECTIONS: FOR INDICATIONS ABOUT WASTE TREATMENT, SEE SECTION 13.

### SECTION 7 - HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING: OBSERVE LABEL PRECAUTIONS. WEAR ALL APPROPRIATE PROTECTIVE EQUIPMENT SPECIFIED IN SECTION 8. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

ADVICE ON PROTECTION AGAINST FIRE AND EXPLOSION: KEEP AWAY FROM HEAT, SPARKS AND FLAME. SOLUTIONS CONTAINING GLYCOL ETHERS IN WATER CAN FORM FLAMMABLE VAPORS WITH AIR IF HEATED SUFFICIENTLY.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: KEEP IN COOL, DRY, VENTILATED STORAGE AREAS IN CLOSED CONTAINERS. TRANSFER ONLY TO APPROVED CONTAINERS HAVING CORRECT LABELING. CONTAINERS THAT HAVE BEEN OPENED SHOULD BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

7.3 SPECIFIC END USES: APART FROM THE USES MENTIONED IN SECTION 1.2, NO OTHER SPECIFIC USES ARE STIPULATED.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS: CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE VALUES.

8.2 EXPOSURE CONTROLS:

🛆 top

🛆 top

A top

📥 top

TECHNICAL MEASURES AND APPROPRIATE WORKING OPERATIONS SHOULD BE GIVEN PRIORITY OVER THE USE OF PERSONAL PROTECTIVE EQUIPMENT. USE ADEQUATE VENTILATION. LOCAL EXHAUST IS PREFERABLE. REFER TO SEE SECTION 7.1.

#### INDIVIDUAL PROTECTION MEASURES:

WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT WITH PRODUCT. PROTECTIVE CLOTHING NEEDS TO BE SELECTED SPECIFICALLY FOR THE WORKPLACE, DEPENDING ON CONCENTRATIONS AND QUANTITIES OF HAZARDOUS SUBSTANCES HANDLED. THE CHEMICAL RESISTANCE OF THE PROTECTIVE EQUIPMENT SHOULD BE ENQUIRED AT THE REPRESENTATIVE SUPPLIER.

HYGIENE MEASURES:

FACILITIES STORING OR USING THIS MATERIAL SHOULD BE EQUIPPED WITH AN EYEWASH STATION AND SAFETY SHOWER. CHANGE CONTAMINATED CLOTHING. PREVENTIVE SKIN PROTECTION IS RECOMMENDED. WASH HANDS THOROUGHLY AFTER USE, BEFORE EATING, DRINKING OR USING THE LAVATORY.

EYE/FACE PROTECTION:

WEAR PROTECTIVE GOGGLES OR SAFETY GLASSES WITH UNPERFORATED SIDE SHIELDS DURING USE. REFER TO 29 CFR 1910.133, ANSI Z87.1 OR EUROPEAN STANDARD EN 166.

HAND PROTECTION: WEAR RUBBER GLOVES OR GLOVES RECOMMENDED BY GLOVE SUPPLIER FOR PROTECTION AGAINST MATERIALS IN SECTION 3. GLOVES SHOULD BE IMPERMEABLE TO CHEMICALS AND OIL. BREAKTHROUGH TIME OF SELECTED GLOVES MUST BE GREATER THAN THE INTENDED USE PERIOD.

OTHER PROTECTIVE EQUIPMENT: PROTECTIVE CLOTHING. PROTECTIVE BOOTS, IF THE SITUATION REQUIRES.

### RESPIRATORY PROTECTION:

NONE REQUIRED WITH NORMAL USE. ALWAYS USE AN APPROVED RESPIRATOR WHEN VAPOR/AEROSOLS ARE GENERATED. WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE USE A FULL-FACED RESPIRATOR WITH MULTI-PURPOSE COMBINATION (US) OR TYPE ABEK (EN 14387) RESPIRATOR CARTRIDGES AS A BACKUP TO ENGINEERING CONTROLS. IF THE RESPIRATOR IS THE SOLE MEANS OF PROTECTION, USE A FULL-FACE SUPPLIED AIR RESPIRATOR. USE RESPIRATORS AND COMPONENTS TESTED AND APPROVED UNDER APPROPRIATE GOVERNMENT STANDARDS SUCH AS NIOSH (US) OR CEN (EU).

ENVIRONMENTAL EXPOSURE CONTROLS: DO NOT EMPTY INTO DRAINS.

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

🛆 top

ODOR: LEMON/BUTYL SCENT ODOR THRESHOLD: NOT DETERMINED MOLECULAR WEIGHT: NOT APPLICABLE CHEMICAL FORMULA: NOT APPLICABLE PH: 10.9 - 11.1 @ 20 DEG. C

APPEARANCE: CLEAR, LIGHT PURPLE LIQUID

FREEZING/MELTING POINT: <0 DEG. C (<32 DEG. F)

INITIAL BOILING POINT: 100 DEG. C (212 DEG. F)

EVAPORATION RATE: NOT DETERMINED

FLAMMABILITY (SOLID, GAS): NOT APPLICABLE

FLASH POINT: NOT DETERMINED

AUTOIGNITION TEMPERATURE: NOT DETERMINED

DECOMPOSITION TEMPERATURE: NOT DETERMINED

LOWER EXPLOSIVE LIMIT (LEL): NOT DETERMINED UPPER EXPLOSIVE LIMIT (UEL): NOT DETERMINED

VAPOR PRESSURE: NOT DETERMINED

VAPOR DENSITY: NOT DETERMINED

SPECIFIC GRAVITY: 1.019 - 1.021

VISCOSITY: NOT DETERMINED SOLUBILITY IN WATER: COMPLETE PARTITION COEFFICIENT N-OCTANOL/WATER: NOT DETERMINED VOLATILES BY VOLUME @ 70 DEG. F: APPROX. 84% 9.2 OTHER DATA: NO DATA AVAILABLE

# SECTION 10 - STABILITY AND REACTIVITY

10.1 REACTIVITY: NO SPECIAL REACTIVITY HAS BEEN REPORTED. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

10.2 CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: NONE KNOWN

10.4 CONDITIONS TO AVOID: EXTREME TEMPERATURES. CONTACT WITH INCOMPATIBLE MATERIALS.

10.5 INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS, ACIDS, BASES

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION PRODUCTS INCLUDE OXIDES OF CARBON, OXIDES OF POTASSIUM OXIDES, OXIDES OF PHOSPHORUS OXIDES, SODIUM OXIDES

## SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS: NO TOXICITY TESTS HAVE BEEN CARRIED OUT FOR THIS PRODUCT. ACUTE TOXICITY DATA WAS ESTIMATED BASED ON THE TOXICITY OF THE INDIVIDUAL COMPONENTS IN CONTAINED IN THIS PRODUCT.

ACUTE ORAL TOXICITY: PRODUCT IS EXPECTED TO HAVE LOW ACUTE ORAL TOXICITY.

ACUTE INHALATION TOXICITY: PRODUCT IS EXPECTED TO HAVE LOW ACUTE INHALATION TOXICITY.

ACUTE DERMAL TOXICITY:

PRODUCT IS EXPECTED TO HAVE LOW ACUTE DERMAL TOXICITY.

SKIN IRRITATION: MAY CAUSE MILD SKIN IRRITATION.

EYE IRRITATION: CAUSES MODERATE TO SEVERE EYE IRRITATION.

SENSITIZATION: NO DATA AVAILABLE

GENOTOXICITY IN VITRO: NO DATA AVAILABLE

MUTAGENICITY: NO DATA AVAILABLE

SPECIFIC ORGAN TOXICITY - SINGLE EXPOSURE: NO DATA AVAILABLE

SPECIFIC ORGAN TOXICITY - REPEATED EXPOSURE: NO DATA AVAILABLE

ASPIRATION HAZARD: NO DATA AVAILABLE

11.2 FURTHER INFORMATION: THE REMAINING COMPONENTS IN THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY ACGIH, IARC, NTP OR OSHA. NO DATA IS AVAILABLE REGARDING THE MUTAGENICITY AND/OR TERATOGENICITY OF THIS PRODUCT, NOR IS THERE ANY AVAILABLE DATA THAT INDICATES THAT IT CAUSES ADVERSE DEVELOPMENTAL AND/OR FERTILITY EFFECTS.

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.

### **SECTION 12 - ECOLOGICAL INFORMATION**

12.1 TOXICITY: PRODUCT HAS NOT BEEN TESTED; HOWEVER, BASED ON THE COMPONENTS, THIS PRODUCT IS EXPECTED TO HAVE LOW ACUTE TOXICITY TO AQUATIC ORGANISMS.

12.2 PERSISTENCE AND DEGRADABILITY: PRODUCT IS EXPECTED TO BE READILY BIODEGRADABLE. 🛆 top

🛆 top

12.3 BIOACCUMULATION POTENTIAL: MATERIAL IS NOT EXPECTED TO BIOACCUMULATE.

12.4 MOBILITY: THE COMPONENTS IN THIS PRODUCT ARE WATER SOLUBLE AND HIGHLY MOBILE IN SOIL.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT: NO DATA AVAILABLE

12.6 OTHER ADVERSE EFFECTS:

ADDITIONAL ECOLOGICAL INFORMATION: DO NOT ALLOW MATERIAL TO RUN INTO SURFACE WATERS, WASTEWATER, SEWERS OR SOIL.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

13.1 WASTE TREATMENT METHODS:

PRODUCT:

METHODS OF DISPOSAL:

THE GENERATION OF WASTE SHOULD BE AVOIDED OR MINIMIZED WHENEVER POSSIBLE. EMPTY CONTAINERS OR LINERS MAY RETAIN SOME PRODUCT RESIDUES. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY. DISPOSE OF SURPLUS AND NON-RECYCLABLE PRODUCTS VIA A LICENSED WASTE DISPOSAL CONTRACTOR. DISPOSAL OF THIS PRODUCT, SOLUTIONS AND ANY BY-PRODUCTS SHOULD AT ALL TIMES COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION AND WASTE DISPOSAL LEGISLATION AND ANY REGIONAL LOCAL AUTHORITY REQUIREMENTS. AVOID DISPERSAL OF SPILT MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS.

HAZARDOUS WASTE: THE CLASSIFICATION OF THIS PRODUCT MAY MEET THE CRITERIA FOR A HAZARDOUS WASTE.

#### **SECTION 14 - TRANSPORT INFORMATION**

NOTE:

TRANSPORTATION INFORMATION PROVIDED IS FOR REFERENCE ONLY. CUSTOMER IS URGED TO CONSULT 49 CFR 100 - 177, IMDG, IATA, EC, UNITED NATIONS TDG AND WHMIS (CANADA) TDG INFORMATION MANUALS FOR DETAILED REGULATIONS AND EXCEPTIONS COVERING SPECIFIC CONTAINER SIZES, PACKAGING MATERIALS AND METHODS OF SHIPPING.

NOT REGULATED FOR TRANSPORT

## **SECTION 15 - REGULATORY INFORMATION**

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR SUBSTANCE OR MIXTURE:

U. S. FEDERAL REGULATIONS:

OSHA HAZARD COMMUNICATION STANDARD: THIS MATERIAL IS CLASSIFIED AS HAZARDOUS IN ACCORDANCE WITH OSHA 29 CFR 1910.1200.

OSHA PROCESS SAFETY MANAGEMENT STANDARD: COMPONENTS OF THIS PRODUCT ARE NOT REGULATED UNDER OSHA PSM STANDARD 29 CFR 1910.119.

EPA RISK MANAGEMENT PLANNING STANDARD: COMPONENTS OF THIS PRODUCT ARE NOT REGULATED UNDER EPA RMP STANDARD (RMP) 40 CFR PART 68.

TSCA STATUS: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA):

SARA SECTION 311/312 HAZARD CATEGORIES: ACUTE HEALTH HAZARD

SARA 313 INFORMATION: NONE OF THE CHEMICALS IN THIS PRODUCT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO KNOW ACT OF 1986. 🛆 top

🛆 top

A top

SARA 302/304 EXTREMELY HAZARDOUS SUBSTANCE: NO COMPONENTS OF THE PRODUCT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY OF THESE SECTIONS OF TITLE III OF SARA.

SARA 302/304 EMERGENCY PLANNING & NOTIFICATION: NO COMPONENTS OF THE PRODUCT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS ESTABLISHED BY OF THESE SECTIONS OF TITLE III OF SARA.

COMPREHENSIVE RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA): NO COMPONENTS OF THE PRODUCT EXCEED THE THRESHOLD (DE MINIMIS) REPORTING LEVELS FOR HAZARDOUS WASTES ESTABLISHED BY CERCLA.

CLEAN AIR ACT (CAA): THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS THAT ARE LISTED AS HAZARDOUS AIR POLLUTANTS (HAPS) DESIGNATED IN CAA SECTION 112 (B).

THIS PRODUCT DOES NOT CONTAIN ANY CLASS 1 OZONE DEPLETORS.

THIS PRODUCT DOES NOT CONTAIN ANY CLASS 2 OZONE DEPLETORS.

CLEAN WATER ACT (CWA): NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS HAZARDOUS SUBSTANCES UNDER THE CWA.

NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS PRIORITY POLLUTANTS UNDER THE CWA.

NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED AS TOXIC POLLUTANTS UNDER THE CWA.

U.S. STATE REGULATIONS:

CALIFORNIA PROP 65, SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: THIS PRODUCT CONTAINS NO CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR OTHER REPRODUCTIVE HARM.

OTHER U.S. STATE INVENTORIES: THE PROPRIETARY SURFACTANT IS LISTED ON THE FOLLOWING STATE HAZARDOUS SUBSTANCE INVENTORIES, RIGHT-TO-KNOW LISTS AND/OR AIR/QUALITY/AIR POLLUTANTS LISTS: MA, PA.

CANADA:

WHMIS HAZARD SYMBOL AND CLASSIFICATION: D2B - TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS - EYE IRRITATION

CANADIAN CONTROLLED PRODUCTS REGULATIONS (CPR): THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS, AND THE SDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CONTROLLED PRODUCTS REGULATIONS.

CANADIAN INGREDIENT DISCLOSURE LIST (IDL): CITRIC ACID (CAS #77-92-9) IS LISTED ON THE IDL.

CANADIAN NATIONAL POLLUTANT RELEASE INVENTORY (NPRI): NONE OF THE CHEMICALS IN THIS PRODUCT ARE LISTED ON THE NPRI.

EUROPEAN ECONOMIC COMMUNITY:

LABELING (67/548/EEC TO 1999/45/EC): XI - IRRITANT

RISK PHRASES: R36/38: IRRITATING TO EYES AND SKIN.

#### SAFETY PHRASES:

S2: KEEP OUT OF THE REACH OF CHILDREN.

 $\mbox{s26:}$  In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39: WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION.

WGK, GERMANY (WATER DANGER/PROTECTION): 1

GLOBAL CHEMICAL INVENTORY LISTS:

COUNTRY	INVENTORY NAME	INVENTORY LISTING*
CANADA	DOMESTIC SUBSTANCE LIST (DSL).	YES
CANADA	NON-DOMESTIC SUBSTANCE LIST (NDSL).	NO

EUROPE	INVENTORY OF NEW AND EXISTING CHEMICALS (EINECS)	YES
UNITED STATES	TOXIC SUBSTANCE CONTROL ACT (TSCA)	YES
AUSTRALIA	AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS)	YES
NEW ZEALAND	NEW ZEALAND INVENTORY OF CHEMICALS (NZIOC)	YES
CHINA	INVENTORY OF EXISTING CHEMICAL SUBSTANCES IN CHINA (IECSC)	YES
JAPAN	INVENTORY OF EXISTING AND NEW CHEMICAL SUBSTANCES (ENCS)	YES
KOREA	EXISTING CHEMICALS LIST (ECL)	YES
PHILIPPINES	PHILIPPINES INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES (PICCS)	YES

 $\star"{\tt YES"}$  INDICATES THAT ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE INVENTORY REQUIREMENTS ADMINISTERED BY THE GOVERNING COUNTRY.

 $\star$ "NO" INDICATES THAT ONE OR MORE COMPONENTS OF THIS PRODUCT ARE NOT ON THE INVENTORY AND ARE NOT EXEMPT FROM LISTING.

15.2 CHEMICAL SAFETY ASSESSMENT: FOR THIS PRODUCT A CHEMICAL SAFETY ASSESSMENT WAS NOT CARRIED OUT.

# **SECTION 16 - OTHER INFORMATION**

HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS): HEALTH 2 FLAMMABILITY 0 PHYSICAL HAZARD 0 PERSONAL PROTECTION B HMIS HAZARD RATING LEGEND: \* = CHRONIC HEALTH HAZARD 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH4 = EXTREMESAFETY GLASSES GLOVES NATIONAL FIRE PROTECTION ASSOCIATION (NFPA): 2 HEALTH FLAMMABILITY 0 INSTABILITY 0 SPECIAL NFPA HAZARD RATING LEGEND: \* = CHRONIC HEALTH HAZARD 0 = INSIGNIFICANT 1 = SLIGHT2 = MODERATE 3 = HIGH 4 = EXTREMEFULL TEXT OF RISK (R) - PHRASES REFERENCED IN SECTION 3 R34: CAUSES BURNS. R37: IRRITATING TO RESPIRATORY SYSTEM. R41: RISK OF SERIOUS DAMAGE TO EYES. SPEEDCLEAN ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY FORM THE DESCRIBED PRODUCT'S USE. ALL CHEMICALS POSSESS UNKNOWN POTENTIAL HAZARDS. THE INFORMATION HEREIN SHOULD BE USED ONLY TO SUPPLEMENT THE END USER'S EXISTING KNOWLEDGE. READ DIRECTIONS FOR PROPER USE. THIS SDS WAS WRITTEN FOR THE PRODUCT AS PACKAGED. CLEANING CONTRACTORS SHALL COMPLY WITH ALL APPLICABLE OSHA REGULATIONS. REVISION 2: REFORMULATION - 9 APRIL 2015